

DSJ-10670/US

Page 2

IN THE CLAIMS

1.(currently amended) First and second one piece integrally molded area circumscribing frame members that fit against one another to form an area circumscribing support frame having ~~an article~~ a retaining recess or channel which opens into the circumscribed area formed therebetween and extending extends therearound.

2.(currently amended) One piece integrally molded frame members as claimed in Claim 1 in which at least one of said members has an integral laterally projecting peripheral wall extending around the perimeter thereof against which the other frame member fits to form said ~~article~~ retaining recess or channel.

3.(currently amended) One piece integrally molded frame members as claimed in Claim 1 in which both of said frame members have laterally projecting peripheral walls extending around their outer perimeters which abut when said frame members are fitted together to define said ~~article~~ retaining recess or channel.

4.(currently amended) One piece integrally molded frame members as claimed in Claim 2 or 3 in which both of said frame members have at their inner perimeters at least for portions of the circumscribed area integral laterally projecting lips which, upon said members being fitted together, face each other with a space therebetween to form a slotted wall walls overlying at least ~~a portion~~ portions of said ~~article~~ retaining recess or channel reducing openness of said recess or channel into said circumscribed area in said slotted wall portions to said space between said lips.

5.(original) One piece integrally molded frame members as claimed in Claim 1, 2 or 3 in which said members are injection molded plastic members.

DSJ-10670/US

Page 3

6.(original) One piece integrally molded frame members as claimed in Claim 1, 2 or 3 in which said members are compression molded plastic members.

7.(currently amended) One piece integrally molded frame members ~~framed as~~ claimed in Claim 1 in which each of said members is one side of a window sash and said retaining recess is adapted to retain a glazing unit.

8.(currently amended) One piece integrally molded frame members as claimed in ~~Claim-4~~ Claim 1 in which said members form the sides of a frame to support a sliding window sash.

9.(currently amended) One piece integrally molded frame members as claimed in Claim 1 in which at least one of said frame members is further formed to fit against a third one piece integrally molded area circumscribing frame member to form a second support frame having ~~an article a~~ a retaining recess therein or channel which opens into the area circumscribed by said by said second support frame and extends therearound.

10.(currently amended) First and second frame members as claimed in Claim 1 configured to form on assembly face to face ~~one-side~~ spaced opposite sides of a window frame, at least one of said frame members having at the outer perimeter thereof a laterally projecting wall which spaces such opposite sides ~~said frame members~~ from one another and defines said retaining recess as a window unit retaining recess.

11.(currently amended) Frame members as claimed in Claim 10 having at least over a portion of their inner perimeters integral inwardly projecting lips having a

DSJ-10670/US

Page 4

width less than half the spacing between said ~~frame members when the same are assembled face to face~~ spaced opposite sides of said window frame.

12.(currently amended) First and second frame members as claimed in Claims 10 or 11 in combination with a third one piece molded area circumscribing rectangular frame member configured for assembly with one of said first and second frame members at one side thereof opposite to said side forming said retaining recess to form an adjoining frame having a window retaining recess therein.

13.(currently amended) First and second frame members as claimed in Claim 1 formed to be brought together face to face to form the opposite sides of a window sash with said retaining recess comprising a glazing unit retaining recess therebetween, a glazing unit located between said sash sides received in said retaining recess and means securing said molded frame members together to retain said glazing unit therebetween.

14.(currently amended) ~~A window unit~~ First and second frame members as claimed in Claim 13 in which said frame members are formed to interengage when in registration brought face to face.

15.(currently amended) First and second frame members as claimed in Claim 1 each configured to form opposite sides of a sliding window unit frame, at least one of said frame sides having an integral laterally projecting wall at its outer perimeter which spaces said opposite frame sides from one another when the same are assembled, and both said one piece frame members having at their inner perimeters an integral lip having a width less than one half the spacing of said spaced opposite frame sides ~~members when the same are assembled~~, said lips projecting inwardly of said frame ~~members sides~~ sides when assembled to provide retaining form inner walls having slots therethrough ~~overhanging~~ overlying at least ~~a portion~~ portions of said

DSJ-10670/US

Page 5

retaining recess ~~said retaining walls having a space therebetween providing access to~~
~~said retaining channel~~ or channel reducing openness of said recess or channel into
said circumscribed area in said portions to said slots.

16.(currently amended) ~~A window unit~~ First and second frame members as
claimed in Claim 15 in combination with a third rectangular frame member of one
piece molded construction configured to fit against and form with one of the
aforesaid frame members a second frame in which said one of said frame members
forms one side of said second frame and ~~thereof with~~ said third frame member forms
the other side of said second frame.

17. (currently amended) First and second frame members as claimed in Claim ~~14~~ 1 in
which said frame members are molded with interengaging means which interengage
when said frame members are fitted one against the other to hold said frame members in
such fitted relation.

18.(previously presented) First and second frame members as claimed in Claim 17 in
which said interengaging means bind together to resist separation of said frame
members.

19. (previously presented) First and second frame members as claimed in Claim 17 in
which said interengaging means comprise projecting formations plugged into mating
receptor formations.